



# SHENZHEN RZX TECHNOLOGY CO.,LTD

## — . About the Cards

### **PVC Card:**

**Color printing tolerance: <10%**

1. Card size:  $\pm 0.125\text{MM}$
2. Card thickness:  $\pm 0.08\text{MM}$
3. Card cutting tolerance:  $\pm 1.5\text{MM}$
4. Printing position tolerance:  $\pm 1.5\text{MM}$
5. Crafts Position tolerance:
  - 1) Signature panel:  $\pm 2.0\text{MM}$
  - 2) UV Spot:  $\pm 2.0\text{MM}$
  - 3) Silkscreen printing:  $\pm 2.0\text{MM}$
  - 4) Inkjet printing number/barcode:  $\pm 2.0\text{MM}$
  - 5) Thermal printing tolerance:  $\pm 2.0\text{MM}$
  - 6) Laser number tolerance:  $\pm 2.0\text{MM}$
  - 7) DOD number/barcode/QR code:  $\pm 2.0\text{MM}$
  - 8) Embossed number:  $\pm 2.0\text{MM}$
  - 9) Silver/ Gold stamping tolerance:  $\pm 2.0\text{MM}$
  - 10) Hole tolerance:  $\pm 1.5\text{MM}$
6. Thickness of the Epoxy card: 3-5MM

### **Defect rate:**

PVC Card without Chip: 2%

Chip Card: 1%

Shaped card/ Non-standard card: 3%

### **Metal Card:**

1. Size tolerance:  $\pm 0.15\text{MM}$
2. Thickness tolerance:  $\pm 0.08\text{MM}$
3. Metal plating color tolerance:  $\Delta E \leq 9.6$
4. CMYK printing/ Silkscreen printing tolerance range:  $\Delta E \leq 5$
5. Hollow out position tolerance:  $\pm 1.5\text{MM}$
6. Laser /Engrave position tolerance:  $\pm 1.5\text{MM}$
7. Variable number position tolerance:  $\pm 2.0\text{MM}$
8. Signature panel position:  $\pm 2.0\text{MM}$
9. Barcode / QR code position tolerance:  $\pm 2.0\text{MM}$



# SHENZHEN RZX TECHNOLOGY CO.,LTD

## Exoneration Clause:

Because the mass production is customized products, both parties agree that there are no more than 3% of defective goods. The supplier is responsible for replacing the defective goods only, not responsible for other extra costs if the defective goods exceeds this proportion. The product is a customized product. It may take some time to communicate before the final confirmation. The delivery date is subject to the final notice.

### Force Majeure:

The seller shall not be held responsible for the delay in shipment or non-delivery of the goods due to Force Majeure, which might occur during the process of manufacturing or in the course of loading or transit. The seller shall advise the Buyers immediately of the occurrence mentioned above within fourteen days thereafter. The Seller shall send by airmail to the Buyers for their acceptance certificate of the accident. Under such circumstances the Seller, however, are still under the obligation to take all necessary measures to hasten the delivery of the goods.

### Arbitration:

All disputes in connection with the execution of this Contract shall be settled friendly through negotiation. In case no settlement can be reached, the case then may be submitted for arbitration to the Arbitration Commission of the China Council for the Promotion of International Trade in accordance with the Provisional Rules of Procedure promulgated by the said Arbitration Commission. The Arbitration committee shall be final and binding upon both parties. And the Arbitration fee shall be borne by the losing parties.

## 二. About the RFID Tags/Labels

### Deviation:

#### 1) White label and printed label.

1. Label size range:  $\pm 0.15\text{MM}$ .
2. Label thickness range:  $\pm 0.08\text{MM}$ .
3. Punching tolerance range:  $\pm 1.5\text{MM}$ .
4. Color printing position tolerance range, offset printing/silk printing color tolerance: 15%.
5. Printed information position tolerance:  $\pm 2\text{MM}$ .
6. The default label distance: 3-5MM.
7. The default reel core: 76MM.
8. The reading distance depends on the characteristics of the antenna, and there will be some performance changes after compounding, but the impact is small. Reading distance is subject to actual.
9. The operating temperature of the chip is  $-25^{\circ}\text{C}$  -  $+80^{\circ}\text{C}$ , and there are special requirements that need to be communicated clearly in advance.
10. RFID tags surface default use 80g coated paper, special requests need to be communicated clearly in advance [such as need with glossy/matte overlay etc].
11. It is normal that the chip position cannot be printed.
12. Please note different materials will have different Adhesive viscosity.
13. Frequency Deviation: high frequency  $\pm 0.5\text{MHz}$ , UHF according to different frequency bands (EU frequency or US frequency etc)



# SHENZHEN RZX TECHNOLOGY CO.,LTD

## 2) Epoxy labels

1. Label size range:  $\pm 0.15\text{MM}$
2. Label thickness range:  $\pm 1\text{MM}$
3. Punching tolerance range:  $\pm 1.5\text{MM}$
4. Color printing position tolerance range, offset printing/silk printing color tolerance: 15%.
5. We cannot control the APP can be used regularly, please confirm the by yourself before placing the order. We only provide tags.
6. Data sheet need confirm clearly before placing the order.

### Defect rate:

Normal label: 3‰

Epoxy label: 2%

Because is the mass production customized products, both parties agree that there are no more than 2% of defective goods. the supplier is responsible for replacing the defective goods only, not responsible for other extra costs. If the defective goods exceeds this proportion, The product is a customized product. It may take some time to communicate before the final confirmation. The delivery date is subject to the final notice.

### Force Majeure:

The sellers shall not be held responsible for the delay in shipment or non-delivery of the goods due to Force Majeure, which might occur during the process of manufacturing or in the course of loading or transit. The sellers shall advise the Buyers immediately of the occurrence mentioned above within fourteen days thereafter. The Sellers shall send by airmail to the Buyers for their acceptance certificate of the accident. Under such circumstances the Sellers, however, are still under the obligation to take all necessary measures to hasten the delivery of the goods.

### Arbitration:

All disputes in connection with the execution of this Contract shall be settled friendly through negotiation. In case no settlement can be reached, the case then may be submitted for arbitration to the Arbitration Commission of the China Council for the Promotion of International Trade in accordance with the Provisional Rules of Procedure promulgated by the said Arbitration Commission. The Arbitration committee shall be final and binding upon both parties.

And the Arbitration fee shall be borne by the losing parties.



## SHENZHEN RZX TECHNOLOGY CO.,LTD

**Remark:**

The trade term of this order is EXW, buyer should be with the clearance ability, when the package reach to buyer's custom, buyer should do the clearance himself/ herself. If buyer without the clearance ability and still pay this order, when the package reach to buyer's local custom and can't do the clearance, leading to the package destroy or return back, buyer has to pay for all the destroy fee and the return back fee to the seller. Seller doesn't need to return back the money of the order buyer has paid on Alibaba.